Types and Clinical Application of External Dosage Forms for Gynecological Inflammation

Panjie Cui^{1,a}, Xiaoping Cui^{2,b,*}

Abstract: Gynecological inflammation is more common in women's life, and an occur in all age groups [1]. Clinically, Western medicine is mainly anti-infective, bacteriostatic and antiviral. Traditional Chinese medicine believes that gynecological inflammation is mostly caused by lower coke dampness-heat, and the treatment is based on the principle of heat-clearing, detoxification and dampness. At present, the external dosage forms of traditional Chinese and western medicine in the treatment of gynecological inflammation mainly include suppositories, lotions, Yin plug tablets, ointments, capsules and gels. This article reviews the clinical application of external dosage forms of traditional Chinese and western medicine for gynecological inflammation in recent years, in order to provide some reference for the selection and clinical application of external dosage forms of gynecological inflammation. Gynecological inflammation is more common in clinic. According to statistics, 75% of women suffer from gynecological inflammation in their daily life, and about 500 to 1 0 women in China suffer from vaginitis every year. The incidence of vaginal inflammation in married women of childbearing age in China is 42.1%. Gynecological inflammation includes acute inflammation and chronic inflammation, mainly vaginitis, cervicitis and pelvic inflammation. Clinical manifestations: abnormal leucorrhea, vulvar itching pain, sexual discomfort, lower abdominal and lumbosacral pain; gynecological examination showed vulva redness and swelling, increased vaginal secretions, cervical congestion, uterine tenderness, fullness of posterior fornix and so on. If inflammation is treated in time, it can recover as soon as possible; if it is not treated in time, it can cause recurrent inflammation and may cause other diseases [2]. At present, the commonly used external preparations of traditional Chinese and western medicine in clinical gynecological inflammation are suppositories, lotions, Yin plug tablets, ointments, capsules and gels [3][4]. This article briefly reviews the dosage forms and types of traditional Chinese and western medicine commonly used for external use of gynecological inflammation in recent years, in order to provide some guidance for the selection of clinical drugs for gynecological inflammation.

Keywords: Gynecological Inflammation, Traditional Chinese and Western Medicine, External Dosage Form, Clinical Application

1. Suppository

Suppository is a kind of solid preparation which is composed of drugs and matrix. It dissolves and spreads rapidly through mucosal epithelial cells in the cavity, and gradually releases the drug to produce curative effect. The suppository absorbs the drug through the vagina and rectum, the local concentration is higher, the action time is longer, and the effect can be released slowly, the curative effect is significant, and the first-pass effect of the liver can be avoided. Traditional Chinese medicine suppositories have a long history of application. As early as in the synopsis of the Golden Chamber, Cnidium seed Powder was made into suppositories and placed in the vagina to treat gynecological inflammation caused by damp-heat syndrome[5]. Vaginal suppository and anal suppository are commonly used in the treatment of gynecological inflammation, and traditional Chinese and western medicine suppositories are common in clinic, such as recombinant human interferon α 2a suppository, nitrofural nystatin vaginal suppository, compound metronidazole suppository, compound zedoary turmeric oil suppository, Baofukang suppository, compound seabuckthorn seed oil suppository and so on.

¹Shaanxi University of Chinese Medicine, Xianyang, Shaanxi, 712046, China

²Affiliated Hospital of Shaanxi University of Chinese Medicine, Xianyang, Shaanxi, 712000, China ^aa15649687196@163.com, ^b13892079999@126.com

^{*}Corresponding author

1.1 Recombinant Human Interferon Alpha 2a Suppository

Main ingredient: recombinant human interferon α 2a. It can treat chronic cervicitis and cervical erosion caused by vaginal viral infection, prevent high-risk cervical HPV infection and improve the negative conversion rate [6].

1.2 Dakonine Suppository (Miconazole Nitrate Vaginal Suppository)

Each tablet contains 0.4 grams of miconazole nitrate, which can be used to treat candidal vulvovaginosis and bacterial vaginosis, and can significantly restore the vaginal environment of patients [7].

1.3 Compound Zedoary Turmeric Oil Suppository

This product is a compound preparation, each tablet contains 0.21 ml of zedoary turmeric oil and 50 mg of econazole nitrate. It is effective in the treatment of candidal vulvovaginosis, trichomonal vaginitis and chronic cervicitis[8][9].

1.4 Nitrofural Nystatin Vaginal Suppository (McCampa)

The main ingredients of this product are nifuratine and nystatin. It mainly treats vulva, vaginal infection and vaginal mixed bacterial infection caused by bacteria, trichomonas and Candida. It also plays a good role in regulating Lactobacillus in vagina and helps to maintain vaginal microcirculation [10].

1.5 Compound Metronidazole Suppositories

This product is a compound preparation, each tablet contains metronidazole 0.5g, ginseng stem and leaf saponins 0.025 grams, vitamin E 0.04g. It is mainly used in the clinical treatment of trichomonal vaginitis and bacterial vaginosis, which can not only effectively inhibit bacteria, but also improve immune function, thus reducing the probability of reinfection [11].

1.6 Tinidazole Suppository

This product contains tinidazole 0.2g per tablet. It is mainly used for the treatment of trichomonal vaginitis and bacterial vaginosis, which can improve the cure rate and reduce the recurrence rate [12].

1.7 Compound Seabuckthorn Seed Oil Suppository

It is composed of seabuckthorn seed oil, Cnidium seed, frankincense, myrrh, Sophora flavescens, calamine and borneol. It can clear heat, dryness and dampness, relieve swelling and pain, kill insects and stop itching, activate blood circulation and promote muscle. It can be used for cervical erosion caused by damp-heat injection, and the curative effect is significant [13].

1.8 Baofukang Suppository

The main ingredients are zedoary turmeric oil and borneol. It is feasible to break blood stasis, invigorate muscle and relieve pain. For the treatment of fungal vaginitis, senile vaginitis and cervical erosion, it can not only shorten the negative time of bacteria, effectively reduce the level of inflammatory factors, but also significantly improve immunity [14].

2. Lotion

Western medicine lotion generally refers to the medical liquid of one or more insoluble substances. Traditional Chinese medicine lotion refers to the liquid preparation made from prepared pieces of traditional Chinese medicine by processing method, which can be used for skin and cavity smearing or cleaning, and has the effect of cleaning and disinfection, killing insects and relieving itching. The lotion is convenient and fast, and it can clean the affected area quickly, but it is inconvenient to carry and use outside. The commonly used gynecological lotions are povidone iodine solution, compound Sophora

flavescens lotion, Jieeryin lotion, red nuclear Fujie lotion, compound Phellodendron Phellodendri liquid and so on.

2.1 Red Nucleus Fujie Lotion

The main component is Hawthorn kernel dry distillate. It can detoxify and remove dampness, kill insects and stop itching. Used for fungal vaginitis and non-specific vaginitis, can significantly improve vaginal microecology and clinical TCM syndrome, high safety, and no adverse reactions occurred [15].

2.2 Jieeryin Lotion

It is composed of Fructus Cnidii, Artemisia argyi, Radix Atractylodis, Atractylodes, peppermint, Cortex Phellodendri, Scutellaria baicalensis, Sophora flavescens, Fructus Scutellariae, Herba Artemisia, Fructus Gardeniae and Honeysuckle. Can clear heat, dryness and dampness, kill insects and stop itching. It is suitable for fungal, trichomonal and non-specific vaginitis, and its strong ability to remove pathogens can improve patients' uncomfortable symptoms and reduce the PH value in the vagina [16].

2.3 Ana'er Fu Cleanser

It is composed of pomegranate peel, bitter bean, snake seed, gallop, coral, pepper and borneol. It can clear heat, dryness and dampness to stop itching. For all kinds of bacterial, fungal, trichomonal vulvitis, vaginitis caused by vaginal itching, redness and swelling, excessive leucorrhea and so on [17].

2.4 Compound Huangsong Lotion

It is composed of gang pine oil, big leaf eucalyptus oil, mountain sesame oil, Cnidium oil, Qianliguang, skin seed and Phellodendron Phellodendri. Can clear heat, dryness and dampness, dispel wind and stop itching. For the treatment of fungal, trichomonal vaginitis and vulvitis with vulvar itching, with a large amount of uncomfortable symptoms, the effective rate is more than 90%, and there is no irritation to skin and mucosa [18].

2.5 Jieyin Antipruritic Lotion

This product is composed of Sophora flavescens, Cnidium, Xu Changqing, Poria cocos, Qianliguang, Phellodendron Phellodendri, Polygonum cuspidatum, Radix Paeoniae Rubra, Zanthoxylum bungeanum, Ginseng leaves, licorice and menthol. It can clear heat and detoxify, dispel wind and stop itching. For vaginitis due to damp-heat injection caused by subzonal increase, vulvar pruritus.

2.6 Metronidazole Chlorhexidine Lotion

This product is a compound preparation containing 1.2 mg of chlorhexidine gluconate and 0.2 mg of metronidazole per milliliter. For bacteria, trichomonas, mold caused by a variety of vaginitis, has a strong bacteriostatic and bactericidal effect, and does not inhibit Lactobacillus.

2.7 Povidone Iodine Solution

20ml, 30ml, 50ml, 80ml, 60ml, 100ml, 150ml, 200ml in each bottle. For external use, dip a small amount with a cotton swab and apply it locally from the center to the periphery. Once or twice a day. The main ingredient is povidone iodine and the excipient is polyethylene glycol 200. For the treatment of trichomonal vaginitis, fungal vaginitis [19], suppurative dermatitis, skin fungal infection, etc., short treatment time, quickly improve patients' uncomfortable symptoms, but also effectively prevent the occurrence of cervicitis.

2.8 Compound Sophora Flavescens Lotion

Development, specification: 300ml. Dilute the product with lukewarm water to 30%, 50%, and wash the vulva. Once or twice a day. Seven days is a course of treatment. The main groups are Sophora flavescens, Cortex Phellodendri, Fructus Cnidii, Fructus Brucea, Fructus Brucea, Fructus Corydalis,

Flos Lonicerae, Wild Chrysanthemum, Chrysanthemum, Bark, Atractylodes, Fangfeng, Scutellaria, licorice.

It can clear heat and detoxify, dry and damp and stop itching. It is used to improve women's symptoms such as excessive underwear and vulvar pruritus, the effective rate is high, the vaginal microecology of patients is significantly improved, and the recurrence rate is low [20].

3. Topical Tablet

Vaginal tablets act directly on the vagina and are absorbed through the vaginal mucosa, and the action time of the drug in the vagina is prolonged, and the availability of the drug is improved; and the drug is decomposed through vaginal mucus, increasing the action area of the drug. Vaginal tablets have the advantages of quick effect and high curative effect, and are widely used in clinic. Common Yin plug tablets are clotrimazole vaginal tablets, metronidazole vaginal effervescent tablets, Jieeryin effervescent tablets, Fuyanxiao effervescent tablets, metronidazole vaginal effervescent tablets and so on.

3.1 Fuyanxiao Effervescent Tablets

It is composed of Sophora flavescens, Cortex Phellodendri, Fructus Cnidii, Honeysuckle, Wild Chrysanthemum, Fructus Rehmanniae, Angelica dahurica, Acorus calamus, Borneol and Pig Bile Ointment. It can clear heat, dryness and dampness, remove belt and relieve itching. Treatment belongs to Candida vaginitis, trichomonal vaginitis, bacterial vaginitis, vaginal itching, flushing, swelling, with a large amount, its fishy smell, strong bacteriostatic effect, can effectively relieve symptoms, regulate vaginal microorganisms, the recurrence rate is low [21].

3.2 Jieeryin Effervescent Tablets

It is composed of Fructus Cnidii, Artemisia argyi, Radix Atractylodis, Atractylodes, peppermint, Cortex Phellodendri, Scutellaria baicalensis, Sophora flavescens, Fructus Scutellariae, Herba Artemisia, Fructus Gardeniae and Honeysuckle. Can clear heat, dryness and dampness, kill insects and stop itching. Used for the treatment of fungal, trichomonal vaginitis, etc., can improve patients' uncomfortable symptoms in a short time [22].

3.3 Fuyanling Effervescent Tablets

It is composed of purple pearl leaf, camphor, Baibu, fairy crane grass, borneol, Sophora flavescens, alum, Cnidium, benzalkonium bromide and boric acid. Can clear heat, dryness and dampness, kill insects and stop itching. Used in the treatment of fungal and trichomonal vaginitis, can significantly improve the symptoms and signs of patients, and help to reduce the recurrence rate [23].

3.4 Clindamycin Hydrochloride Vaginal Effervescent Tablets

Mainly used for bacterial vaginosis.

3.5 Maiminol-nifetil Vaginal Tablets

Treatment of vulvar and vaginal infections and leucorrhea caused by bacteria, trichomonas, molds and Candida can significantly improve the symptoms of discomfort and reduce the level of inflammatory factors [24].

3.6 Nystatin Vaginal Effervescent Tablets

This product contains 100000 units of nystatin. For candidal vulvovaginitis, high antifungal activity and negative conversion rate [25].

4. Ointment

Ointment is a semi-solid topical dosage form made by mixing the raw material drug with the suitable matrix, which is easy to be applied on the skin or mucous membrane.

Ointment mainly plays a local therapeutic role, a few can be absorbed through the skin to produce systemic therapeutic effect, and paste adhesion to the vaginal wall can make the local effect for a long time and enhance the curative effect.

However, there are few kinds of ointment used in clinical gynecological inflammation, which needs further research and development.

4.1 Povidone Iodine Cream

This product contains 0.1 grams of povidone iodine per gram. Gynecology for candidal vulvovaginosis, bacterial vaginosis and mixed infectious vaginitis can not only effectively clean and disinfect the vagina, but also promote mucosal repair and reduce the recurrence rate [26].

4.2 Premarin-conjugated Estrogen Ointment

The main ingredients of this product are: conjugated estrogen. This product is suitable for the treatment of atrophic vaginitis and vulvar wrinkles, which can not only quickly improve the symptoms of vaginal atrophy, but also reduce the recurrence rate [27].

4.3 Nitrofural Nystatin Vaginal Ointment

This product is a compound preparation, which consists of 0.5g nifetil and 200000 units of nystatin. It can be used to treat bacterial vaginosis, trichomonal vaginitis, vaginal mixed infection and candidal vaginosis. On the basis of inhibiting bacteria, it can also accelerate the balance of vaginal microecology and reduce the recurrence rate [28].

5. Capsule

Capsule is a solid preparation made by filling the drug in a hollow hard capsule or sealed in an elastic soft capsule. After vaginal tamponade, it dissolves under the action of vaginal secretion and produces a lasting effect. It is widely used in clinic, and the common vaginal soft capsules are miconazole nitrate vaginal soft capsule, nitrofural vaginal soft capsule, Lactobacillus live vaginal capsule, Fuyanping capsule, Baidaijing capsule, prostrated vaginal capsule and so on.

5.1 Fuyanping Capsule

It is composed of Sophora flavescens, Cnidium, bitter wood, pearl layer powder, borneol, withered alum, menthol, boric acid and so on. Can clear heat and detoxification, dampness and stop belt, kill insects and stop itching. Used for vaginitis and vulvitis caused by trichomonas, molds and bacteria, can effectively improve symptoms, regulate vaginal environment and PH value, and inhibit the reproduction of pathogens [29].

5.2 Fuyanling Capsule

It is composed of purple pearl leaf, boric acid, Sophora flavescens, camphor, fairy crane grass, alum, Baibu, borneol, snake seed and so on. Can clear heat, dryness and dampness, kill insects and stop itching. For the treatment of fungal, trichomonal, bacterial vaginitis [30].

5.3 Dingjunsheng-Lactobacillus Live Bacteria Capsule

The main components are live Lactobacillus. Used in the treatment of bacterial vaginosis caused by flora disorder, it can greatly improve the symptoms of patients, maintain vaginal microecological balance and improve vaginal cleanliness [31].

5.4 Dakonine-miconazole Nitrate Vaginal Soft Capsule

The main ingredient is miconazole nitrate. The treatment of double infection caused by candidal vulvovaginosis and gram-positive bacteria can effectively inhibit fungi so as to improve symptoms and reduce recurrence [32].

6. Gel.

Gel is a thick liquid or semi-solid preparation of suspension or emulsion made of drugs and auxiliary materials that form gel. The gel can act on the vaginal mucosa for a long time and exert its efficacy. The commonly used gynecological inflammatory gels are Sophora flavescens gel, recombinant interferon-2b gel, Shukang gel, Aijit gel, as well as Baofukang gel, Chun milk gel and so on.

6.1 Shukang Gel

The main ingredient is Hawthorn kernel essence. It can detoxify and remove dampness, kill insects and stop itching. Can be used for fungal vaginitis, trichomonal vaginitis see above syndrome, the effect is obvious, and the recurrence rate is low [33].

6.2 Sophora Flavescens Gel

The main component is total alkaloids of Sophora flavescens. It has antibacterial and anti-inflammatory effect. For gynecological chronic inflammation such as cervical erosion, trichomonal vaginitis and vaginal fungal infection, the effective rate is as high as 95% [34].

6.3 Metronidazole Vaginal Gel

The main component is metronidazole. Used in the treatment of bacterial vaginosis, the curative effect is remarkable [35].

6.4 Chitosan Gynecological gel

This product is a gel made of chitosan, glycerin and purified water. It has the effect of repairing and regenerating and promoting ulcer healing. This product is used in the adjuvant treatment of bacterial vaginitis, candidal vaginitis and uterine erosion, which can effectively promote wound healing and improve the increase of vaginal secretion [36].

6.5 Youjingan-recombinant Human Interferon a 2b Gel

This product can treat cervical erosion, improve the state of oxidative stress and reduce inflammation, which is beneficial to wound healing [37].

7. Spray

Spray refers to a preparation that does not contain an ejector and sprays the liquid into a fog with the help of the pressure of a manual pump.

The spray can accelerate drug absorption, is easy to carry, and has a long storage time.

The common spray is Jiekangning spray Fufukang spray.

7.1 Jiekangning Spray

It is composed of Phellodendron Phellodendri, Coptis chinensis, Cnidium seed, Coix seed, Poria cocos and pepper. Can clear heat and detoxification, dry dampness insecticidal, anti-itching and detumescence. Mainly used for fungal, trichomonal vaginitis, vulvitis and vulvar eczema, pruritus.

7.2 Fufukang Spray

It consists of a monk's bed and thousands of miles. It can clear heat and detoxify, activate blood circulation and relieve pain, kill insects and relieve itching. For trichomonal vaginitis [39], fungal vaginitis [40], bacterial vaginosis, vulvitis [41], convenient application, short treatment time, no obvious adverse reactions [38].

8. Other Dosage Forms

In addition to the common dosage forms, some emerging dosage forms are also gradually being used in clinical practice.

8.1 Baofukang Foam

The main ingredients are zedoary turmeric oil and borneol. It is feasible to break blood stasis, invigorate muscle and relieve pain. It can be used for the treatment of fungal vagina and cervical erosion with remarkable effect and convenient use [42].

8.2 Boxingkang Medicine Film

It is composed of Sophora flavescens, Southwest Scutellaria baicalensis, Trichosanthes, Cnidium, Willow Branch, Rhubarb, Willow, Gardenia jasminoides, Yinchen and Dandelion. It can clear heat and detoxification, dry dampness and kill insects, dispel wind and stop itching. Used for the treatment of trichomonal vaginitis, fungal vaginitis, acute and chronic cervicitis and cervical erosion, with the advantages of short treatment time, quick repair and less bleeding [43].

8.3 Cell Wall Skeleton Preparation of Nocardia Rubrum

Arabinogalactan, cell wall acid and mucopeptide make up the cell wall skeleton of Nocardia rubra. It can be used to treat cervical erosion, improve the negative conversion rate of high-risk HPV infection and regulate immune function [44].

With the continuous increase of gynecological inflammation, the use of traditional Chinese and western medicine has attracted more and more attention. Because of the shortcomings of internal medicine in the treatment process, such as great side effects, easy recurrence and drug resistance, topical preparations are more and more widely used in clinic. This paper reviews the commonly used drugs in common dosage forms in order to provide reference for the selection of clinical drugs for gynecological inflammation.

Of course, how to better improve the traditional dosage forms and develop new dosage forms for clinical application is an urgent problem to be solved in the realization of gynecological inflammation.

References

- [1] Duan Hua. Common gynecological inflammation and treatment. Health Care World, 2021, (03): 18-20.
- [2] Lili, Yang Jing. Research progress of new dosage forms and new technologies of traditional Chinese medicine. Industry and Technology Forum, 2021, (24): 34-35.
- [3] Chen Yahui, Zhang Fang, Li Panpan, etc. Progress in clinical application of commonly used gynecological traditional Chinese medicine preparations. Proprietary Chinese Medicine, 2017, (09): 1904-1908.
- [4] Xu Congjian, Hua Keqin. Use Obstetrics and Gynecology. Beijing: people's Health Publishing House, 2017 Pluto 540-551.
- [5] Chen Renxu, Jin Shiyao. Beijing: people's Health Publishing House, 2009:695-696
- [6] Chen Qing, Bai Xiaoying, Zhang Xiaobin, etc. Efficacy of recombinant human interferon a 2a suppository in the treatment of cervical high-risk human papillomavirus infection. Chinese Journal of Biological products, 2021, (12): 1469-1472.
- [7] Wang Lu. Clinical observation of traditional Chinese medicine fumigation combined with miconazole nitrate in the treatment of recurrent fungal vaginitis. Modern distance Education of traditional Chinese Medicine, 2021, 19 (19): 141-142.
- [8] Chen Fenghua. Clinical observation of compound zedoary turmeric oil suppository in the treatment of inflammatory diseases of cervical persistent HPV infection. Chinese and Foreign Medicine, 2011 (27): 10-11
- [9] Wang Yuan. Observation on the effect of compound zedoary turmeric oil suppository in clinical treatment of candidal vaginitis. World's latest Medical Information Abstracts, 2015, (28): 121.
- [10] Li Heshan, he Jinyan, Huang Minyi, he Yingjun, etc. Study on the effect of nifetil nystatin suppository in patients with candidal vaginitis. Journal of practical Gynecological Endocrinology

- (Electronic Edition), 2018, (25): 43-44.
- [11] Xu Wenwen. Clinical efficacy and safety analysis of compound metronidazole vaginal suppository in the treatment of vaginitis. Chinese practical Medicine, 2021, (19): 28-30.
- [12] Zhao Qiuping. Clinical observation of Dingjunsheng combined with tinidazole suppository in the treatment of bacterial vaginosis. Strait Pharmacy, 2020, 32 (12): 137-139.
- [13] Chang Yumei, Zhang Fengxi, Wang Wei, etc. Observation on the efficacy of compound seabuckthorn seed oil suppository combined with recombinant human interferon α 2b gel in the treatment of chronic cervicitis complicated with high-risk human papillomavirus infection. Hebei traditional Chinese Medicine, 2021, (06): 969-971.
- [14] Ye Peiyun, Li Youdi. Effect of Baofukang suppository on immune function and inflammatory factors in patients with chlamydia trachomatis and mycoplasma cervicitis. Electronic Journal of Modern Medicine and Health Research, 2021, 5 (17): 103-105.11.
- [15] Lu Yao, Liu Zhaohui, Lou Jiaoying, etc. Study on the efficacy and safety of red nucleus Fujie lotion in the treatment of bacterial vaginosis. Chinese Journal of practical Gynecology and Obstetrics, 2020, (11): 1125-1128.
- [16] Hu Jian, Liao Lilin. Observation on the therapeutic effect of Jieeryin lotion combined with metronidazole vaginal effervescent tablets on senile vaginitis. Drug Evaluation, 2019, (23): 46-47.
- [17] Zhou Huafeng, Shen Caihong. Clinical observation of Sophora flavescens gel combined with Anaerfujie in the treatment of trichomonal vaginitis. New traditional Chinese Medicine, 2015.47 (03): 154-155.
- [18] Cai Hengling, Zhou Juan. Observation on germicidal efficacy of compound Huangsong lotion on rabbits in vitro. Central South Journal of Medical Science, 2014, (06): 577,578 and 604.
- [19] Zhang Liyan, Zeng Zhifang. Analysis of the efficacy of povidone iodine in the treatment of vulva and vaginitis. Grass-roots Medical Forum, 2012 Jing 16 (25): 3305-3306.
- [20] Guo Ping, Chen Meiqin, Deng Ling. Efficacy of compound Sophora flavescens lotion combined with metronidazole in patients with bacterial vaginosis and its effect on vaginal microecology. Anti-infective Pharmacy, 2019, Journal of Medicine 16 (09): 1574-1576.
- [21] Jin Ru, Gao Yanjun. Clinical observation of Fuyanxiao effervescent tablet in the treatment of damp-heat downward injection fungal vaginitis. China Pharmacy, 2016, June 27 (06): 774-776.
- [22] Shen Huiling. Study on the efficacy of Jieeryin effervescent tablet in the treatment of vaginitis and cervicitis. Clinical study, 2018, (01): 166167.
- [23] Chen Xiuying, Zhu Rong. Clinical observation of Fuyanling effervescent tablet in the treatment of mixed vaginitis. Chinese prescription drugs, 2015, (11): 72-73.
- [24] Tang Jing, Mu Bingnan, Liang Jing. Efficacy of lactic acid bacteria vaginal capsule combined with nifetil tablets in the treatment of senile bacterial vaginitis. China Medical Herald, 2021, 18 (15): 121-124.
- [25] Liu Yuyan. Analysis of the efficacy of nystatin vaginal effervescent tablets and Dakening suppository in the treatment of fungal vaginitis. Chinese ethnic Folk Medicine, 2013 Ji 22 (08): 129.
- [26] Xu Limei, Lai Shuzhen, Zhu Chunmei, etc. Analysis of the effect of povidone iodine ointment combined with Fujieshu lotion in preventing radiation vaginitis. Journal of Clinical Nursing, 2018, (02): 70-73.
- [27] Shi Mingqing, Hank, Xia Yulan, etc. Clinical observation of Premarin ointment and Zhibai Dihuang pills in the treatment of recurrent genitourinary tract infection in postmenopausal women. Guangming TCM, 2015. 30 (10): 2185-2187.
- [28] Tan Huanyi. Study on nifetil nystatin vaginal ointment in the treatment of recurrent candidal vaginitis. Chinese Community physician, 2021, 37 (08): 41-42.
- [29] Su Ruijin, Yang Fei, Zhang Lan. Clinical study of Fuyanping capsule combined with ornidazole suppository in the treatment of senile bacterial vaginitis. Modern Medicine and Clinic, 2020, (07): 1430-1433.
- [30] Yang Shunfang, Chen Weijuan. 44 cases of sequelae of pelvic inflammatory diseases treated with Fuyanling capsule and nursing points. China Pharmaceutical Industry, 2015, 24 (22): 177178.
- [31] Chen Qianying. Analysis of clinical effect of vaginal Lactobacillus live bacteria capsule in the treatment of vaginitis. Journal of Clinical rational Drug use, 2020, (19): 76-77.
- [32] Zhang Pingshi. Clinical efficacy and symptom improvement of miconazole nitrate vaginal soft capsule combined with fluconazole in patients with fungal vaginitis. Anti-infective Pharmaceuticals, 2019, June 16 (03): 527-529.
- [33] Shi Zhihua, Guo Yanjie. 58 cases of senile vaginitis with kidney deficiency and damp-heat were treated by Zhibai Dihuang decoction combined with Shukang gel. Henan TCM, 2017, 37 (10): 1820-1822.
- [34] Liu Dongze, Hu Zhenzhen, Zhang Ping, et al. Pharmacological and clinical research progress of

- Sophora flavescens gel. Shanghai Journal of traditional Chinese Medicine, 2014, 48 (11): 96-98. [35] Cui Lianghui, Yang Jia, Zhang Xiaoran. Clinical observation of Wandai decoction combined with metronidazole gel in the treatment of senile recurrent bacterial vaginitis. Geriatrics and Health Care, 2020, 26 (06): 1077-1080.
- [36] Zhang Huizhen. Evaluation of the efficacy of chitosan gynecological gel in the treatment of cervical erosion. Journal of practical Gynecological Endocrinology (Electronic Edition), 2016, (13): 161.162
- [37] Chen Hui. Efficacy of cryotherapy combined with recombinant human interferon α -2b gel in the treatment of chronic cervicitis in young women. Journal of Baotou Medical College, 2021, (09): 34-38. [38] Huang Guoning. Analysis of efficacy and adverse reactions of Fufukang spray in the treatment of postpartum vaginitis. Chinese and Foreign Women's Health Research, 2020, (07): 77: 135.
- [39] Han Yan, Ma Caiyuan. Clinical observation of Fufukang spray in the treatment of trichomonal vaginitis. Electronic Journal of practical Gynecological Endocrinology, 2020, (19): 50-51.
- [40] Li Yaling. Fufukang spray combined with miconazole nitrate suppository in the treatment of fungal vaginitis. Intellectual Health, 2020, (28): 75-77.
- [41] Zhu Xianjin. Analysis of the efficacy of Fufukang spray in the treatment of vaginitis during pregnancy. Electronic Journal of practical Gynecological Endocrinology, 2020, (01): 16.
- [42] Xiao Xuemei. 50 cases of vulvovaginal candidiasis treated with Baofukang foam. Everyone Health (academic Edition), 2011, (17): 23-24.
- [43] Wang Dangli. Nursing care of patients with cervical erosion treated by microwave combined with Boxing Kang medicine film. Inner Mongolia traditional Chinese Medicine, 2012, (03): 149150.
- [44] Tian Weihong. Analysis of clinical effect of Nocardia rubrum cell wall cytoskeleton in the treatment of high-risk human papillomavirus. Qingdao Medical and Health, 2021, (04): 285287.